

**Cement Bonded
Particle Board**
Extra Mineral Layer



betopanplus®

Head Office Betopan Factory
Beytepe Köyü Yolu No: 5
06800 Bilkent / Ankara / TR
T: +90 312 266 45 51 pbx
F: +90 312 266 01 50
betopan@betopan.com.tr

Tepepan Factory
Alcı Mah. ASO 2. ve 3. OSB
2026. Cad. No: 12
06909 Sincan / Ankara / TR
T: +90 312 266 57 91 pbx
F: +90 312 266 01 50

Visit our websites for more information.
[in](#) [@](#) [f](#) [v](#) [t](#) /tepebetopan
Date of Print: August 2021



www.betopan.com.tr
www.betopan.net



High durability and aesthetical outlook for all buildings.

Cement bonded particle boards with reinforced strength in flat and different textures...



Can be painted in different colours.


GENERAL INFORMATION

betopanplus® is a cement bonded particle board that can be used in interior and exterior areas for multi-purposes, consisting of a mixture of cement and wood, reinforced by natural minerals on both surfaces, with A2 Fire Class. Resistance to external factors and fire and paint retentivity are increased with the reinforced layer on both surfaces.

APPEARANCE

It has a natural appearance in gray tones thanks to the layer consisting of natural minerals on both surfaces. It has a flat surface and different textured varieties such as wood, stone, brick and embossed stone brick are also available.

betopanplus® product range for exterior / interior areas:



Standard Dimensions (mm)

Products	Thickness	Width	Length
betopanplus®	10 - 12 - 14 - 16 - 18 20 - 22 - 24 - 26 - 28 - 30	1250	2500 - 2800 - 3000
yalıpan® taşonit® tuğpan® tuğlapan® monolin® fugalin® frapan®	10,12 12 12	1250	3000

Customized dimensions are possible by cutting the standard production size boards in desired width and length. A thickness of 10-12 mm is recommended for facade.

Technical Specifications

Density	1450 ± 50 kg/m ³ (TS EN 323)
Bending Strength	≥ 9 N/mm ²
Modulus of Elasticity	≥ 4500 N/mm ² (Class 1)
Reaction to Fire Class	A2 s1 d0 (EN 13501-1)

Material Shipping Density: 1500±100 kg/m³

Areas of Use

Interior

- Wall Cladding & Partition Wall
- Fire Wall
- Indoor Ceiling
- Ready Wall System

Exterior

- External Wall
- Balcony and Parapet
- Outdoor Ceiling*
- Soffit and Fascia
- Fences, Boundary Walls
- Noise Barrier



Advantages of Use



Impact Resistant



Fire Resistance



Water & Moisture Resistant



Insect-proof



Weather Resistant



Thermal Insulation



Sound Insulation



Easy Workability



Environmentally Friendly



Harmless to Health



Lightweight



Easy Installation

